

SHRINE 4.0.0 Appendix A.6 - More Details: SP Metadata

Create file sp-metadata.xml in the below path:

```
/var/www/html/sp-metadata.xml
```

The **entityId** attribute specifies who we are:

```
<md:EntityDescriptor xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata" xmlns:ds="http://www.w3.org/2000/09
/xmldsig#" entityID="https://your.hostname">
  <md:SPSSODescriptor AuthnRequestsSigned="true" WantAssertionsSigned="true" protocolSupportEnumeration="urn:
oasis:names:tc:SAML:2.0:protocol">
```

The `<ds:X509Certificate>` element contains the public key that was generated earlier:

```
<md:KeyDescriptor>  
  <ds:KeyInfo>  
    <ds:X509Data>  
      <ds:X509Certificate>ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/A  
        ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz01234567890+/  
      </ds:X509Certificate>  
    </ds:X509Data>  
  </ds:KeyInfo>  
</md:KeyDescriptor>
```

the "**Location**" xml attribute specifies the URL at which the IdP will post the user info after a successful login:

```
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://[your
hostname]/Shibboleth.sso/SAML2/POST" index="1"/>
  </md:SPSSODescriptor>
</md:EntityDescriptor>
```

Next Step:

SHRINE 4.0.0 Appendix A.7 - More Details: Shrine Configuration for SSO