

# Institution Specific Annotations

## Contents

- [About](#)
- [Visibility of institution specific annotations](#)
  - [SWEET - Entering data](#)
  - [SWEET - Viewing data](#)
  - [SEARCH - Institution](#)
  - [DISSEMINATION](#)
  - [SEARCH - Central](#)
- [Use](#)

## About

We recognize that institutions may need to annotate their resources with information that is specific to their institution and would not apply to all the institutions in the network. One example of such a description could be an internal billing code to use for a core service. It would not be efficient to include this information in the eagle-i ontology if it only pertains to one institution, and may in fact lead to confusion about the use of the field by other institutions.

To address this need, we are introducing in this release the concept of 'Institution Specific Annotation'. This feature will allow institutions to do just this by including an owl file in the configuration directory and adding two properties to the eagle-i-apps.properties file. These additional ontological properties will be incorporated with the eagle-i ontology only within the scope of the institution's deployment.



### Please note the following

1. The institution specific annotations will be applied to **all** resource types
2. **Only** datatype properties are allowed.
3. This is an advanced feature and we recommend that you contact us to assist in the use of the feature.
4. This feature is available in version 2.0 and newer.

## Visibility of institution specific annotations

This feature, if used, will have the be **visible** in institutional applications and will **not be visible** from the central application.

### SWEET - Entering data

A new section will appear between the end of the standard eagle-i fields and before the comments and curator notes sections.

Institution specific annotations	
Expires Date	<input type="text"/>
Expires Date and Time	<input type="text"/>
Frogs Only	<input checked="" type="checkbox"/>
Internal Billing Code	<input type="text"/>

### SWEET - Viewing data

If institution specific annotation has been entered for a resource, this will be displayed in its own section just before the Metadata section.

Workbench > [Animals And Things Lab \(TEST\)](#) > Tadpole 5000

[Animals And Things Lab \(TEST\)](#)  
[switch organizations](#)  
All Resource Types  
[Biological Specimen](#) [add new](#)  
[Database](#) [add new](#)  
[Human Study](#) [add new](#)  
[Instrument](#) [add new](#)  
[Organism or Virus](#) [add new](#)  
[Protocol](#) [add new](#)  
[Reagent](#) [add new](#)  
[Research Opportunity](#) [add new](#)  
[Service](#) [add new](#)  
[Software](#) [add new](#)  
Status Legend  
 Draft

Form Actions:  

Edit
Lock

Duplicate
Delete

Workflow Actions:  
Return to Curation
Withdraw

Check Links to This

Instrument Name\* Tadpole 5000  
Instrument Type\* [Instrument](#)  
Location [Animals And Things Lab \(TEST\)](#) [Institution Specific Annotation](#)  

Institution specific annotations  
Frogs Only Yes

▶ Metadata

## SEARCH - Institution

If you have installed the institution search application, and institution specific annotation has been entered for a resource, this will be displayed at the end.

Back to Search Results
Next

Tadpole 5000  
Instrument ⓘ

Contact Information
Send Message to Resource Contact

Location [Animals And Things Lab \(TEST\)](#) [Institution Specific Annotations](#)  

Institution specific annotations  
Frogs Only Yes

Back to Search Results
Next

## DISSEMINATION

Any institution specific annotation that is associated with an institution's resource will be viewable from the resource's dissemination page

See it in Search

## Tadpole 5000

eagle-i ID  
<http://alaska.dev.eagle-i.net/1/0000013d-fa45-86b0-048d-f3f780000000>

Resource Type  
[Instrument](#)

Properties

[ForFrogsOnly](#) Yes

Location [Animals And Things Lab \(TEST\)](#)

[Download RDF](#) ([What is RDF?](#))

**Institution Specific Annotations**

## SEARCH - Central

Any institution specific annotation that is associated with an institution's resource **will not** be viewable from the central search application.

[Back to Search Results](#) [Next](#)

## Tadpole 5000

*Instrument*

Contact Information [Send Message to Resource Contact](#)

Location [Animals And Things Lab \(TEST\)](#)

[Back to Search Results](#) [Next](#)

## Use

To use this feature:

1. Generate an owl file.  
A sample owl file with several datatypes can be found in our examples folder:

```
/eagle-i-base/examples/config-files/institution-specific-annotations.owl
```



Only datatype properties are allowed.

2. Place the owl file in your eagle-i configuration folder. This is usually

```
~tomcat/eaglei/conf/
```

3. Edit the eagle-i-apps.properties file and add the following properties:

```
## INSTITUTION SPECIFIC ontology
eaglei.model.jena.localSource=institution-specific-annotations.owl
eaglei.model.jena.localIri=http://frog.university.zoo/ont/app/1.0/institution-specific-annotations.owl
```

- a. eaglei.model.jena.localSource is the name of your owl file
- b. eaglei.model.jena.localIri is the IRI for your owl file