## **Configuring SHRINE Webclient Obfuscation**

The SHRINE Webclient uses a JSON formatted file for client side settings for help file locations, help urls and obfuscation settings, this document will focus on obfuscation. The configuration file is located at the root html directory. The root html directory will typically look something like the image below:

```
assets
help
js-ext
js-i2b2
node_modules
crc_view_qrytoo-live.js
gulpfile.js
i2b2 license 2.1-1159.txt
i2b2_config_data.js
i2b2_config_data.js-orig
index.html
package.json
wctest.js
```

The contents of i2b2\_config\_data.js will look something like:

```
i2b2_config_data.js
{
 urlProxy: "/shrine-proxy/request",
 urlFramework: "js-i2b2/",
 loginTimeout: 15, // in seconds
 //JIRA|SHRINE-519:Charles McGow
       username_label:"SHRINE Username:", //Username Label
       password_label:"SHRINE Password:", //Password Label
       clientHelpUrl: 'help/pdf/shrine-client-guide.pdf',
       networkHelpUrl:'help/pdf/shrine-network-guide.pdf',
       wikiBaseUrl: 'https://open.med.harvard.edu/wiki/display/SHRINE/',
       obfuscation: 10,
       resultName: "patients",
 //JIRA|SHRINE-519:Charles McGow
 // -----
 // THESE ARE ALL THE DOMAINS A USER CAN LOGIN TO
 lstDomains: [
              { domain: "i2b2demo",
                name: "SHRINE",
                urlCellPM: "http://127.0.0.1/i2b2/services/PMService/",
                allowAnalysis: false,
                debug: true,
                isSHRINE: true
```

Notice the obfuscation setting on line 11:

```
obfuscation: 10,
```

This setting will change the displayed obfuscation in the Web Client query results in the query result window. For example the following Query Result window shows an obfuscation of '+-10 patients' for result counts above the obfuscation threshold and '10 patients or fewer' for result counts below the obfuscation threshold:

## Finished Query: "Female@14:32:03"

Compute Time: 6.2 secs

## shrine-dev1 "Female@14:32:03"

Patient Count: - 50 +-10 patients

## Patient Age Count Breakdown:

0-9 years old: - 10 patients or fewer 10-17 years old: - 10 patients or fewer 18-34 years old: - 20 +-10 patients 35-44 years old: - 20 +-10 patients 35-44 years old: - 20 +-10 patients 45-54 years old: - 10 patients or fewer 55-64 years old: - 10 patients or fewer 65-74 years old: - 10 patients or fewer 75-84 years old: - 10 patients or fewer >= 65 years old: - 10 patients or fewer >= 85 years old: - 10 patients or fewer Not recorded: - 10 patients or fewer

Note that if the 'obfuscation' setting is not set in the config file, the Webclient application will default to a hard coded obfuscation setting of 10.

[6.2 secs]