13 - Connection to a SHRINE network

To fully connect to a SHRINE network, you will need to establish a connection to a Hub on that network. There are a couple of things you will need to do:

- 1. First, you will need to allow both incoming and outgoing traffic from port 6443 on the SHRINE server.
- 2. Allow traffic on port 6443 to the IP address of the Hub.
- 3. Check that the Hub's broadcast url is correctly configured within the queryEntryPoint section in shrine.conf:

```
a. broadcasterServiceEndpoint {
      url = "https://shrine-hub-url:6443/shrine/rest/broadcaster/broadcast"
}
```

4. Last, make sure that the Hub has opened a firewall exception to your site over port 6443.

A typical firewall exception should look something like this:

Site's public IP address <---> TCP port 6443 <---> SHRINE Hub's public IP address

The Hub will then need to add your site's downstream url to its configuration file. The url for your site should resemble something like this:

https://your_site's_shrine_url:6443/shrine/rest/adapter/requests

Once everything has been configured, your site should then show up along with other sites on the network when a user submits a query in the SHRINE web client:

Finished Query: "Captopril@09:48:31"

[51.8 secs]

Compute Time: 51.8 secs

Indiana "Captopril@09:48:31"

Patient Count: - 80 +-10 patients

Childrens National "Captopril@09:48:31"

Patient Count: - 95 +-10 patients

Emory "Captopril@09:48:31"

Patient Count: - 1135 +-10 patients

Medical University of South Carolina "Captopril@09:48:31"